2024

PRODUCT PRICE GUIDE

nevins™

# SYNK2

## COLLECTION

*effective: 01.01.24*
*revision: 08.17.26*

## Pricing

All prices are LIST

## Freight Policy

Please refer to https://nevins.co/Terms-Warranty

## Terms : Conditions : Warranty

Please refer to https://nevins.co/Terms-Warranty

## GSA and State Contract Information

Please refer to https://nevins.co/gsa-state-contracts

## Contact Information

GSA Contract Administrator
Nevins LLC
P.O. Box 108
Cat Spring, TX 78933

Phone (800) 231-2744
quotes@nevins.co

GSA Advantage!®
www.gsaAdvantage.gov

| | | |
|---|---|---|
| GENERAL INFORMATION | | |
| | Freight Policy | 2 |
| | Terms \| Conditions \| Warranty | 2 |
| | GSA Information | 2 |
| HOW TO SPECIFY | | |
| | Seating | 4-5 |
| | Connector Tables | 12 |
| | Drum Tables | 13 |
| PRICING | | |
| | Seating | |
| | Chairs | 6-7 |
| | Sofas | 8-9 |
| | Benches | 10 |
| | Ottomans | 11 |
| | Connector Tables | 14 |
| | Drum Tables | 15 |
| OPTIONS | | |
| | Seating Tablets | 16 |
| | Legs | 17 |
| | Casters | 17 |
| | Contrasting Fabrics | 18 |
| | Ganging | 18 |
| | Power and Data | 19 |
| MATERIALS & FINISHES | | |
| | Surface Materials and Finishes | |
| | Laminate | 20 |
| | Veneer and Wood | 21 |
| | KrystalCast® | 22 |
| | Solid Surface | 22 |
| | Stone | 22 |
| | PVC Edge | 23 |
| SPECIFICATIONS | | 24 |
| UPHOLSTERY | | |
| | General Information | 25-26 |
| | COM/COL Information | 27-29 |
| | Ordering COM/COL | 29 |
| | Fabric Approval Form | 30 |
| | Contrasting Fabric Sketch Form | 31 |
| CONFIGURATIONS | | 32-35 |
| PRICE GUIDE REVISION SUMMARY | | 36 |

## 1) Specify Model Number and Leg Options

### 1a) Specify Model Number

| | | Model |
|---|---|---|
| **Lounge Chair with arms** | | |
|  | stand alone | S2-01A |
| armless | | |
|  | modular | S2-02M |
| single left (as user) arm | | |
|  | modular | S2-03M |
| single right (as user) arm | | |
|  | modular | S2-04M |
| **Concave Chair 30°** | | |
|  | modular | S2-17M |
| 45° | | |
|  | modular | S2-19M |
| 90° | | |
|  | modular | S2-21M |
| **Convex Chair 30°** | | |
|  | modular | S2-18M |
| 45° | | |
|  | modular | S2-20M |
| 90° | | |
|  | modular | S2-22M |

| | | Model |
|---|---|---|
| **Two Seat Sofa with arms** | | |
|  | stand alone | S2-07A |
| armless | | |
|  | modular | S2-08M |
| single left (as user) arm | | |
|  | modular | S2-09M |
| single right (as user) arm | | |
|  | modular | S2-10M |
| **Three Seat Sofa with arms** | | |
|  | stand alone | S2-11A |
| armless | | |
|  | modular | S2-12M |
| single left (as user) arm | | |
|  | modular | S2-13M |
| single right (as user) arm | | |
|  | modular | S2-14M |
| **Concave Bench 30°** | | |
|  | modular | S2-23M |
| 45° | | |
|  | modular | S2-25M |

| | | Model |
|---|---|---|
| **Convex Bench 30°** | | |
|  | modular | S2-24M |
| 45° | | |
|  | modular | S2-26M |
| **Ottoman Square** | | |
|  | modular | S2-27M |
| **Rectangle** | | |
|  | modular | S2-28M |

NOTE : FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.

NOTE : Modular units include ganging device(s), 1 per each armless side of the seating unit. Should the seating unit include an optional tablet, ganging devices will not be included on the tablet side of the seating unit.

### 1b) Specify Leg Finish

| Select Leg Finish | | |
|---|---|---|
| Silver | = | LEG6S |
| Gold | = | LEG6G |
| Black | = | LEG6B |

### 1c) Specify Base Options (optional)

1c.1) Non-Skid Levelers = NSL

1c.2a) Casters (Models S2-01 and S2-02 only)

1c.2b) Specify Caster Location

| | | |
|---|---|---|
| Front Casters | = | C9-F |
| Rear Casters | = | C9-R |
| Front and Rear Casters | = | C9-FB |

Example Model Number

S2-01A / / LEG6S/NSL

*S2-01A Stand Alone Arm Chair, , Silver Legs with Non-Skid Levelers*

SYNK2

## 2) Specify Fabric

Single Fabric Applications *

SEAT/BASE/BACK/ARM(S) Fabric
- 2) Specify Fabric Information
  - 3a) Fabric Make
  - 3b) Fabric Style/Pattern
  - 3c) Fabric Color
  - 3d) Fabric Number

* A COM/COL Approval Form must be completed and submitted with order.

Contrasting Fabric Applications **

SEAT Fabric
- 2a) Specify Fabric Information for SEAT
  - 2a.1) Fabric Make
  - 2a.2) Fabric Style/Pattern
  - 2a.3) Fabric Color
  - 2a.4) Fabric Number

SEAT Fabric
- 2b) Specify Fabric Information for BASE
  - 2b.1) Fabric Make
  - 2b.2) Fabric Style/Pattern
  - 2b.3) Fabric Color
  - 2b.4) Fabric Number

BACK Fabric ***
- 2c) Specify Fabric Information for BACK
  - 2c.1) Fabric Make
  - 2c.2) Fabric Style/Pattern
  - 2c.3) Fabric Color
  - 2c.4) Fabric Number

ARM Fabric ****
- 2d) Specify Fabric Information for ARM(S)
  - 2d.1) Fabric Make
  - 2d.2) Fabric Style/Pattern
  - 2d.3) Fabric Color
  - 2d.4) Fabric Number

** A COM/COL Approval Form and Contrasting Fabric Sketch Form must be completed and submitted along with the order.

*** not required for bench or ottoman units.

**** not required for bench, ottoman or armless units.

## 3) Specify Options

3a) Power and Data

3a.1) Power Unit

| Cove | Finish | Model |
|---|---|---|
| CV2070B<br>2-Power<br>1-USB A+C | Black Textured/Black<br>Silver/Grey<br>White Gloss/White | CV2070B-BT<br>CV2070B-SG<br>CV2070B-WG |

| 3a.2) Placement (as user)<br>Horizontally Placed Along the Bottom Face | Code |
|---|---|
| Left Side | L |
| Right Side | R |
| Front (Centered) | F |

| 3b) Tablets | Code |
|---|---|
| 3b.1) Tablet Style * | |
| Tablet for Arm units | TA - |
| Tablet for Armless units | TP - |
| 3b.2) Top Surface Material | |
| Laminate PVC Edge | LP65 - |
| Solid Surface | S - |
| 3b.3) Orientation (as facing) | |
| Right Side | R |
| Left Side | L |
| 3b.4) Tablet Top Finish | |
| Laminate with PVC Edge | |
| 1) Laminate Manufacturer | |
| 2) Laminate Pattern Name | |
| 3) Laminate Pattern Number | |
| 4) Laminate Finish | |
| 5) Select PVC Edge Finish | |
| PVC Edge Finishes | |

| | | | |
|---|---|---|---|
| Brite White | P01 | Oiled Legno | P12 |
| Oyster Gray | P02 | Thermo Walnut | P13 |
| Mojave | P03 | Prestige Walnut | P14 |
| Earth | P04 | Ginger Root Maple | P15 |
| Gull Grey | P05 | Blossom Cherrywood | P16 |
| Graphite | P06 | Cocoa Oak | P17 |
| Black | P07 | Acajou Mahogany | P18 |
| Waxed Maple | 008 | Greige Softwood | P19 |
| Amber Maple | P09 | Smokey Brown Pear | P20 |
| Danish Maple | P10 | Blackened Legno | P21 |
| Finnish Oak | P11 | Noble Mahogany | P22 |

| Solid Surface | |
|---|---|
| Dupont™ Corian® | |
| Glacier White | S01 |
| Bone | S09 |
| Silver Gray | S10 |






* Ganging not allowed on the same side of a Seating Unit where Tablet Arm is located.

Seat/Arm/Back Fabric : CF Stinson / Snuggle / Sandstone / 61758
Base Fabric : CF Stinson / Spandrel / Whisper / 62252

*Seat/Arm/Back Fabric : CF Stinson Fabric / Pattern Snuggle / Color Sandstone / Number 61758*
*Base Fabric : CF Stinson / Pattern Spandrel / Color Whisper / Number 62252*

CV2070B-BT/R + TA-LP65-R(Formica 459-58 Brite White/PVC09)

*CV2070B Power Unit: BT Black Textured Finish: R Right Side Placement*
*TA Tablet for Arm Chair; LP65-R; Formica 459-58 Brite White Laminate Top with PVC09 Black PVC Edge ; Right Arm Placement;*

| | | | | Model Number | | | Overall Dimensions | | | Yardage Requirements | Customer's Own | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | Fabric / Vinyl COM | Leather COL |
| | | | | Model | / | Fabric Info / Option(s) Codes | W x D x H (nominal) | | | COM yards (single fabric applications) | List $ (per unit) | |
| Lounge Chair with arms |  |   | stand alone | S2-01A | / | Please Specify | 30" | 28 ⅛" | 33" | 6 | 2082 | 2227 |
| armless |  |   | modular | S2-02M | / | Please Specify | 24" | 29" | 33" | 4 | 1770 | 1885 |
| single left (as user) arm |  |   | modular | S2-03M | / | Please Specify | 27" | 29" | 33" | 5 | 1963 | 2096 |
| single right (as user) arm |  |   | modular | S2-04M | / | Please Specify | 27" | 29" | 33" | 5 | 1963 | 2096 |
| Concave Chair 30° |  |   | modular | S2-17M | / | Please Specify | 39" | 31" | 33" | 5 | 1848 | 1970 |

SPACE PLANNING: FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.

To Specify
(see pages 4-5 for complete how to specify instructions)

- 1a) Specify Model
- 1b) Specify Leg Finish
- 1c) Specify Leg Options
- 2) Specify Fabric
- 3) Specify Options

COL Square Footage Requirements

COL square footage requirements are determined by the hide type, shape and usable, clean square footage. All leather must be approved by Nevins; see page 29, "Ordering COM/COL". Call Nevins Customer Service Department for assistance is determining square footage requirements.

Contrasting Fabrics

- Contrasting fabrics may be specified for the seat (a), base (b), back (c) or arms (d).
- Contact Nevins Customer Service for pricing and yardage requirements.






| | Code | List $ | |
|---|---|---|---|
| Contrasting Fabric | | | |
| Contrasting Fabric (per additional fabric pattern) | CF-S2 | 99 | per unit |

Ganging

- FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.
- Modular seating units include ganging device(s), 1 per each armless side of the seating unit.
- If the seating unit includes an optional tablet, ganging device will not be included on the tablet side of the seating unit.
- Ganging devices are factory installed.

| | | Code | List $ | |
|---|---|---|---|---|
| Power Units | | | | |
| Available on arm or armless seating units (stand alone or modular end units) | | | | |
| Horizontal Placement on Front, Left or Right Sides (as user) | | | | |
| Cove | | | | |
| CV2070B 2-Power 1-USB A+C | Black Textured/Black | CV2070B-BT | 730 | each |
| | Silver/Grey | CV2070B-SG | 730 | each |
| | White Gloss/White | CV2070B-WG | 730 | each |
| Tablets | | | | |
| for Arm Seating Units | | | | |
| Right Arm Placement | | | | |
| Laminate PVC Edge Top | | TA-LP65-R | 566 | each |
| Solid Surface Top | | TA-S-R | 668 | each |
| Left Arm Placement | | | | |
| Laminate PVC Edge Top | | TA-LP65-L | 566 | each |
| Solid Surface Top | | TA-S-L | 668 | each |
| for Armless Seating Units | | | | |
| Right Side Placement | | | | |
| Laminate PVC Edge Top | | TP-LP65-R | 695 | each |
| Solid Surface Top | | TP-S-R | 799 | each |
| Left Side Placement | | | | |
| Laminate PVC Edge Top | | TP-LP65-L | 695 | each |
| Solid Surface Top | | TP-S-L | 799 | each |

| | Code | List $ | |
|---|---|---|---|
| Casters | | | |
| Available on stand alone arm or armless lounge chairs. | | | |
| Front Casters | C9-F | 105 | set of 2 |
| Rear Casters | C9-R | 105 | set of 2 |
| Front and Rear Casters | C9-FR | 211 | set of 4 |
| Non-Skid Levelers | | | |
| Non-Skid Leveler | NSL | 14 | each |

| | | | Model Number | | | Overall Dimensions | | | Yardage Requirements | Customer's Own Fabric / Vinyl COM | Customer's Own Leather COL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Model | / | Fabric Info / Option(s) Codes | W x D x H (nominal) | | | COM yards (single fabric applications) | List $ (per unit) | |
| Concave Chair | | | | | | | | | | | |
| 45° |  |   | modular | S2-19M | / | Please Specify | 58" | 32" | 33" | 6 | 2533 | 2698 |
| 90° |  |   | modular | S2-21M | / | Please Specify | 53" | 27" | 33" | 5 | 2557 | 2723 |
| Convex Chair | | | | | | | | | | | |
| 30° |  |   | modular | S2-18M | / | Please Specify | 39" | 31" | 33" | 5 | 1838 | 1958 |
| 45° |  |   | modular | S2-20M | / | Please Specify | 58" | 33" | 33" | 6 | 2533 | 2698 |
| 90° |  |   | modular | S2-22M | / | Please Specify | 51" | 33" | 33" | 6 | 2521 | 2684 |

SPACE PLANNING: FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.

To Specify
(see pages 4-5for complete how to specify instructions)

- 1a) Specify Model
- 1b) Specify Leg Finish
- 1c) Specify Leg Options
- 2) Specify Fabric
- 3) Specify Options

COL Square Footage Requirements

COL square footage requirements are determined by the hide type, shape and usable, clean square footage. All leather must be approved by Nevins; see page 29, "Ordering COM/COL". Call Nevins Customer Service Department for assistance is determining square footage requirements.

Contrasting Fabrics

- Contrasting fabrics may be specified for the seat (a), base (b), back (c) or arms (d).
- Contact Nevins Customer Service for pricing and yardage requirements.

| | Code | List $ | |
|---|---|---|---|
| Contrasting Fabric | | | |
| Contrasting Fabric (per additional fabric pattern) | CF-S2 | 99 | per unit |





Ganging

- FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.
- Modular seating units include ganging device(s), 1 per each armless side of the seating unit.
- If the seating unit includes an optional tablet, ganging device will not be included on the tablet side of the seating unit.
- Ganging devices are factory installed.

| | | Code | List $ | |
|---|---|---|---|---|
| Power Units | | | | |
| Available on arm or armless seating units (stand alone or modular end units) | | | | |
| Horizontal Placement on Front, Left or Right Sides (as user) | | | | |
| Cove | | | | |
| CV2070B | Black Textured/Black | CV2070B-BT | 730 | each |
| 2-Power | Silver/Grey | CV2070B-SG | 730 | each |
| 1-USB A+C | White Gloss/White | CV2070B-WG | 730 | each |
| Tablets | | | | |
| for Arm Seating Units | | | | |
| Right Arm Placement | | | | |
| Laminate PVC Edge Top | | TA-LP65-R | 566 | each |
| Solid Surface Top | | TA-S-R | 668 | each |
| Left Arm Placement | | | | |
| Laminate PVC Edge Top | | TA-LP65-L | 566 | each |
| Solid Surface Top | | TA-S-L | 668 | each |
| for Armless Seating Units | | | | |
| Right Side Placement | | | | |
| Laminate PVC Edge Top | | TP-LP65-R | 695 | each |
| Solid Surface Top | | TP-S-R | 799 | each |
| Left Side Placement | | | | |
| Laminate PVC Edge Top | | TP-LP65-L | 695 | each |
| Solid Surface Top | | TP-S-L | 799 | each |

| | Code | List $ | |
|---|---|---|---|
| Non-Skid Levelers | | | |
| Non-Skid Leveler | NSL | 14 | each |

SYNK2

| | | | | Model Number | | | Overall Dimensions | | | Yardage Requirements | Customer's Own | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | Fabric / Vinyl COM | Leather COL |
| | | | | Model | / | Fabric Info / Option(s) Codes | W x D x H (nominal) | | | COM yards (single fabric applications) | List $ (per unit) | |
| Two Seat Sofa with arms |  |   | stand alone | S2-07A | / | Please Specify | 54" | 29" | 33" | 8 ½ | 2798 | 2992 |
| armless |  |   | modular | S2-08M | / | Please Specify | 48" | 29" | 33" | 6 ½ | 2762 | 2947 |
| single left (as user) arm |  |   | modular | S2-09M | / | Please Specify | 51" | 29" | 33" | 7 ½ | 2725 | 2908 |
| single right (as user) arm |  |   | modular | S2-10M | / | Please Specify | 51" | 29" | 33" | 7 ½ | 2725 | 2908 |

SPACE PLANNING: FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.

To Specify
(see pages 4-5 for complete how to specify instructions)

1a) Specify Model

1b) Specify Leg Finish

1c) Specify Leg Options

2) Specify Fabric

3) Specify Options

COL Square Footage Requirements

COL square footage requirements are determined by the hide type, shape and usable, clean square footage. All leather must be approved by Nevins; see page 29, "Ordering COM/COL". Call Nevins Customer Service Department for assistance is determining square footage requirements.

Contrasting Fabrics

- Contrasting fabrics may be specified for the seat (a), base (b), back (c) or arms (d).
- Contact Nevins Customer Service for pricing and yardage requirements.





| | Code | List $ | |
|---|---|---|---|
| Contrasting Fabric | | | |
| Contrasting Fabric (per additional fabric pattern) | CF-S2 | 99 | per unit |

Ganging

- FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.
- Modular seating units include ganging device(s), 1 per each armless side of the seating unit.
- If the seating unit includes an optional tablet, ganging device will not be included on the tablet side of the seating unit.
- Ganging devices are factory installed.

| | | Code | List $ | |
|---|---|---|---|---|
| Power Units | | | | |
| Available on arm or armless seating units (stand alone or modular end units) | | | | |
| Horizontal Placement on Front, Left or Right Sides (as user) | | | | |
| Cove | | | | |
| CV2070B 2-Power 1-USB A+C | Black Textured/Black | CV2070B-BT | 730 | each |
| | Silver/Grey | CV2070B-SG | 730 | each |
| | White Gloss/White | CV2070B-WG | 730 | each |
| Tablets | | | | |
| for Arm Seating Units | | | | |
| Right Arm Placement | | | | |
| Laminate PVC Edge Top | | TA-LP65-R | 566 | each |
| Solid Surface Top | | TA-S-R | 668 | each |
| Left Arm Placement | | | | |
| Laminate PVC Edge Top | | TA-LP65-L | 566 | each |
| Solid Surface Top | | TA-S-L | 668 | each |
| for Armless Seating Units | | | | |
| Right Side Placement | | | | |
| Laminate PVC Edge Top | | TP-LP65-R | 695 | each |
| Solid Surface Top | | TP-S-R | 799 | each |
| Left Side Placement | | | | |
| Laminate PVC Edge Top | | TP-LP65-L | 695 | each |
| Solid Surface Top | | TP-S-L | 799 | each |

| | Code | List $ | |
|---|---|---|---|
| Non-Skid Levelers | | | |
| Non-Skid Leveler | NSL | 14 | each |

| | | | Model Number | | | Overall Dimensions | | | Yardage Requirements | Customer's Own | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | Fabric / Vinyl COM | Leather COL |
| | | | Model | / | Fabric Info / Option(s) Codes | W x D x H (nominal) | | | COM yards (single fabric applications) | List $ (per unit) | |
| Three Seat Sofa with arms |  |  | stand alone | S2-11A | / | Please Specify | 78" | 29" | 33" | 11 ½ | 3847 | 4112 |
| armless |  |  | modular | S2-12M | / | Please Specify | 72" | 29" | 33" | 9 ½ | 3447 | 3676 |
| single left (as user) arm |  |  | modular | S2-13M | / | Please Specify | 75" | 29" | 33" | 10 ½ | 3306 | 3525 |
| single right (as user) arm |  |  | modular | S2-14M | / | Please Specify | 75" | 29" | 33" | 10 ½ | 3306 | 3525 |



SPACE PLANNING: FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.

To Specify
(see pages 4-5 for complete how to specify instructions)

- 1a) Specify Model
- 1b) Specify Leg Finish
- 1c) Specify Leg Options
- 2) Specify Fabric
- 3) Specify Options

COL Square Footage Requirements

COL square footage requirements are determined by the hide type, shape and usable, clean square footage. All leather must be approved by Nevins; see page 29, "Ordering COM/COL". Call Nevins Customer Service Department for assistance is determining square footage requirements.

Contrasting Fabrics

- Contrasting fabrics may be specified for the seat (a), base (b), back (c) or arms (d).
- Contact Nevins Customer Service for pricing and yardage requirements.







| | Code | List $ | |
|---|---|---|---|
| Contrasting Fabric | | | |
| Contrasting Fabric (per additional fabric pattern) | CF-S2 | 99 | per unit |

Ganging

- FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.
- Modular seating units include ganging device(s), 1 per each armless side of the seating unit.
- If the seating unit includes an optional tablet, ganging device will not be included on the tablet side of the seating unit.
- Ganging devices are factory installed.

| | | Code | List $ | |
|---|---|---|---|---|
| Power Units | | | | |
| Available on arm or armless seating units (stand alone or modular end units) | | | | |
| Horizontal Placement on Front, Left or Right Sides (as user) | | | | |
| Cove | | | | |
| CV2070B 2-Power 1-USB A+C | Black Textured/Black | CV2070B-BT | 730 | each |
| | Silver/Grey | CV2070B-SG | 730 | each |
| | White Gloss/White | CV2070B-WG | 730 | each |
| Tablets | | | | |
| for Arm Seating Units | | | | |
| Right Arm Placement | | | | |
| Laminate PVC Edge Top | | TA-LP65-R | 566 | each |
| Solid Surface Top | | TA-S-R | 668 | each |
| Left Arm Placement | | | | |
| Laminate PVC Edge Top | | TA-LP65-L | 566 | each |
| Solid Surface Top | | TA-S-L | 668 | each |
| for Armless Seating Units | | | | |
| Right Side Placement | | | | |
| Laminate PVC Edge Top | | TP-LP65-R | 695 | each |
| Solid Surface Top | | TP-S-R | 799 | each |
| Left Side Placement | | | | |
| Laminate PVC Edge Top | | TP-LP65-L | 695 | each |
| Solid Surface Top | | TP-S-L | 799 | each |

| | Code | List $ | |
|---|---|---|---|
| Non-Skid Levelers | | | |
| Non-Skid Leveler | NSL | 14 | each |

| | | | Model Number | | | Overall Dimensions | | | Yardage Requirements | Customer's Own | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | Fabric / Vinyl COM | Leather COL |
| | | | Model | / | Fabric Info / Option(s) Codes | W x D x H (nominal) | | | COM yards (single fabric applications) | List $ (per unit) | |
| Concave Bench 30° |  |   | modular | S2-23M | / | Please Specify | 39" | 29" | 18" | 4 | 1503 | 1597 |
| 45° |  |   | modular | S2-25M | / | Please Specify | 57" | 31" | 18" | 5 | 1914 | 2030 |
| Convex Bench 30° |  |   | modular | S2-24M | / | Please Specify | 39" | 29" | 18" | 4 | 1565 | 1662 |
| 45° |  |   | modular | S2-26M | / | Please Specify | 57" | 31" | 18" | 5 | 2011 | 2135 |
| Ottoman Square |  |   | modular | S2-27M | / | Please Specify | 25" | 25" | 18" | 2 | 1345 | 1426 |
| Rectangle |  |   | modular | S2-28M | / | Please Specify | 48" | 25" | 18" | 3 | 2017 | 2140 |

SPACE PLANNING: FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.

| To Specify (see pages 4-5 for complete how to specify instructions) |
|---|
| 1a) Specify Model |
| 1b) Specify Leg Finish |
| 1c) Specify Leg Options |
| 2) Specify Fabric |
| 3) Specify Options |
| COL Square Footage Requirements |
| COL square footage requirements are determined by the hide type, shape and usable, clean square footage. All leather must be approved by Nevins; see page 29, "Ordering COM/COL". Call Nevins Customer Service Department for assistance is determining square footage requirements. |
| |
| Contrasting Fabrics |
| • Contrasting fabrics may be specified for the seat (a), base (b), back (c) or arms (d).<br>• Contact Nevins Customer Service for pricing and yardage requirements. |

| | Code | List $ | |
|---|---|---|---|
| Contrasting Fabric | | | |
| Contrasting Fabric (per additional fabric pattern) | CF-S2 | 99 | per unit |

| | Code | List $ | |
|---|---|---|---|
| Non-Skid Levelers | | | |
| Non-Skid Leveler | NSL | 14 | each |

THIS PAGE INTENTIONALLY LEFT BLANK

## 1) Specify Model and Leg Options
### 1a) Specify Model Number

Wedge Connector

30°



| Size | Model Laminate/Veneer |
|---|---|
| 10"/23" x 27" x 16.5" | DCWES * 2316/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer |

45°



| Size | Model Laminate/Veneer |
|---|---|
| 10"/29" x 29" x 16.5" | DCWES * 2916/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer |

Rectangle Connector

14" Rectangle



| Size | Model Laminate/Veneer |
|---|---|
| 14" x 25" x 16.5" | DCRES * 142516/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer |

23" Rectangle



| Size | Model Laminate/Veneer |
|---|---|
| 23" x 25" x 16.5" | DCRES * 232516/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer |

NOTE : FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.

NOTE : Connector Tables include (2) ganging device(s), 1 per each left and right side of table.

| 1b) Specify Leg Finish | |
|---|---|
| Silver | LEG6S |
| Gold | LEG6G |
| Black | LEG6B |
| | |

| 1c) Non-Skid Levelers | |
|---|---|
| Non-Skid Leveler | NSL |

## 2) Specify Optional Top

| Top Options | Code |
|---|---|
| Solid Surface Top | SS45 |
| Natural Stone Top | NN41 |
| Quartz Top | QQ41 |
| KrystalCast® Top | KK59 |

## 3) Specify Finishes

| | Code |
|---|---|
| Laminate<br>1) Laminate Manufacturer<br>2) Laminate Pattern Name<br>3) Laminate Pattern Number<br>4) Laminate Finish | |
| | |
| Veneer | |
| Finishes on Cherry | |
| Light Cherry | CLC |
| Medium Cherry | CMC |
| Dark Cherry | CDC |
| Dark Walnut | CDW |
| Sienna Cherry | CSC |
| Finishes on Maple | |
| Amber Maple | MAM |
| Honey Maple | MHM |
| Kasha Maple | MKM |
| Finishes on Red Oak | |
| Wheat Oak | OWO |
| Greige Oak | OGO |
| Parchment Oak | OPO |
| Steely Oak | OSO |
| Finishes on Walnut | |
| Graphite Walnut | WGW |
| Mocha Walnut | WMW |
| Espresso Walnut | WEW |
| Custom | |
| Stain to Match | STM |
| | |
| Solid Surface | |
| Dupont™ Corian® | |
| Glacier White | S01 |
| Bone | S09 |
| Silver Gray | S10 |
| | |
| Stone | |
| Marble | |
| Carrara White | M01 |
| Granite | |
| Rajah Black | G07 |
| Quartz | |
| Serene | Q1001 |
| Grey Lake | Q1009 |
| Bodega | Q1022 |
| Haida | Q4008 |
| | |
| KrystalCast® Color Layer | |
| Benjamin Moore® Color Match | |
| Super White | KC1 |
| Gray Horse | KC2 |
| Sheer Romance | KC3 |
| Warm Springs | KC4 |
| Dill Pickle | KC5 |
| Putnam Ivory | KC6 |

## 4) Specify Options

| 4a.1) Power & Data | Finish | Model |
|---|---|---|
| Cove | | |
| CV2070B<br>2-Power<br>1-USB A+C | Black Textured/Black<br>Silver/Grey<br>White Gloss/White | CV2070B-BT<br>CV2070B-SG<br>CV2070B-WG |
| | | |

| 4a.2) Specify Vertical Placement | Code |
|---|---|
| Wedge Connector Tables | |
| Narrow (front) End | N |
| Wide End, Left & Right | WLR |
| Narrow & Wide Ends | NWLR |
| Rectangle Connector Tables | |
| Inside (front) End | F |
| Front and Back Ends | FB |
| | |

| 4b) Custom Finish | Code |
|---|---|
| Stain to Match | STM |
| Multiple Laminates | ML2 |

Example Model Number

| DCWESL12916/LEG6S | / | KK59 | / | WA 1595.60 Black / KC1 | / | CV2070B-BT/R / WLR |
|---|---|---|---|---|---|---|
| *45°, 29"W Laminate Wedge Connector Table, Silver Legs* | | *KK59 KrystalCast® Top* | | *Laminate is Wilsonart 1595.60 Black / KrystalCast® finish is KC1 Super White* | | *CV2070B Power Unit: BT Black Textured Finish; Placement WLR Wide End, Left and Right Sides* |

## 1) Specify Model and Leg Options
### 1a) Specify Model Number

| Round Drum | Size | Model Laminate/Veneer |
|---|---|---|
|  | 30" Dia x 15"H<br>30" Dia x 20"H<br>36" Dia x 15"H<br>36" Dia x 20"H<br>42" Dia x 15"H<br>42" Dia x 20"H | DCRNS * 003015/LEG6<br>DCRNS * 003020/LEG6<br>DCRNS * 003615/LEG6<br>DCRNS * 003620/LEG6<br>DCRNS * 004215/LEG6<br>DCRNS * 004220/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer |

| Tapered Round Drum | | |
|---|---|---|
|  | 30"/26" Dia x 15"H<br>30"/26" Dia x 20"H<br>36"/30" Dia x 15"H<br>36"/30" Dia x 20"H<br>42"/36" Dia x 15"H<br>42"/36" Dia x 20"H | DCRNTV1003015/LEG6<br>DCRNTV1003020/LEG6<br>DCRNTV1003615/LEG6<br>DCRNTV1003620/LEG6<br>DCRNTV1004215/LEG6<br>DCRNTV1004220/LEG6<br><br>V1 = Veneer |

| Rectangle Drum | Size | Model Laminate/Veneer |
|---|---|---|
|  | 30"W x 24"D x 15"H 30"W x 24"D x 20"H<br>48"W x 24"D x 15"H 48"W x 24"D x 20"H | DCRES * 302415/LEG6<br>DCRES * 302420/LEG6<br>DCRES * 482415/LEG6<br>DCRES * 482420/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer |

| 1b) Specify Leg Finish | |
|---|---|
| Silver | LEG6S |
| Gold | LEG6G |
| Black | LEG6B |
| | |

| 1c) Non-Skid Levelers | |
|---|---|
| Non-Skid Leveler | NSL |

## 2) Specify Optional Top

| Top Options | Code |
|---|---|
| Solid Surface Top | SS45 |
| Natural Stone Top | NN41 |
| Quartz Top | QQ41 |
| KrystalCast® Top | KK59 |

## 3) Specify Finishes

| | Code |
|---|---|
| Laminate<br>1) Laminate Manufacturer<br>2) Laminate Pattern Name<br>3) Laminate Pattern Number<br>4) Laminate Finish | |
| | |
| Veneer | |
| Finishes on Cherry | |
| Light Cherry | CLC |
| Medium Cherry | CMC |
| Dark Cherry | CDC |
| Dark Walnut | CDW |
| Sienna Cherry | CSC |
| Finishes on Maple | |
| Amber Maple | MAM |
| Honey Maple | MHM |
| Kasha Maple | MKM |
| Finishes on Red Oak | |
| Wheat Oak | OWO |
| Greige Oak | OGO |
| Parchment Oak | OPO |
| Steely Oak | OSO |
| Finishes on Walnut | |
| Graphite Walnut | WGW |
| Mocha Walnut | WMW |
| Espresso Walnut | WEW |
| Custom | |
| Stain to Match | STM |
| | |
| Solid Surface | |
| Dupont™ Corian® | |
| Glacier White | S01 |
| Bone | S09 |
| Silver Gray | S10 |
| | |
| Stone | |
| Marble | |
| Carrara White | M01 |
| Rajah Black | |
| Carrara White | G07 |
| Quartz | |
| Serene | Q1001 |
| Grey Lake | Q1009 |
| Bodega | Q1022 |
| Haida | Q4008 |
| | |
| KrystalCast® Color Layer | |
| Benjamin Moore® Color Match | |
| Super White | KC1 |
| Gray Horse | KC2 |
| Sheer Romance | KC3 |
| Warm Springs | KC4 |
| Dill Pickle | KC5 |
| Putnam Ivory | KC6 |

## 4) Specify Finish Options

| Custom Finish | Code |
|---|---|
| Stain to Match | STM |
| Multiple Laminates | ML2 |

Example Model Number

| DCRNTV1004215/LEG6S | KK59 | CSC / KC1 |
|---|---|---|
| *42"/36" x 15"H Veneer Tapered Round Drum, Silver Legs* | *KK59 KrystalCast® Top* | *Veneer Finish is CSC Sienna Cherry / KrystalCast® finish is KC1 Super White* |




SYNK2

| | | Top Options | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | |  | |  | |  | | | |
| | Option Code | SS45 | | NN41/QQ41 | | KK59 | | | |
| | Model | Dimensions | | | List $ (per unit) | | | | |
| | Model / LEG6 / Top Option / Finishes / Options | W / W x D x H | Laminate L1 | Veneer V1 | Laminate L1 | Veneer V1 | Laminate L1 | Veneer V1 | Laminate L1 | Veneer V1 |
| Wedge<br>30° | | | List $ (per unit) | | | | | | | |
|  | DCWES * 232716/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer | 10" / 23" x 27" x 16.5" | 2101 | 2321 | 3648 | 3868 | 3808 | 4028 | 3871 | 4091 |
| 45°<br> | DCWES * 292916/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer | 10" / 29" x 29" x 16.5" | 2217 | 2436 | 3973 | 4193 | 4614 | 4833 | 4479 | 4699 |
| Cube | | W x D x H | List $ (per unit) | | | | | | | |
| 14"W Rectangle<br> | DCRES * 142516/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer | 14" x 25" x 16.5" | 1947 | 2023 | 3200 | 3277 | 3235 | 3312 | 3354 | 3430 |
| 23"W Rectangle<br> | DCRES * 232516/LEG6<br><br>* L1 = Laminate<br>V1 = Veneer | 23" x 25" x 16.5" | 2044 | 2196 | 3415 | 3569 | 3781 | 3936 | 3542 | 3697 |

SPACE PLANNING: FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.

| To Specify<br>(see page 12 for complete how to specify instructions) |
|---|
| 1a) Specify Model |
| 1b) Specify Leg finish |
| 1c) Specify Leg Options |
| 2) Specify Optional Top |
| 3) Specify Surface Finishes |
| 4) Specify Options |
| |
| Ganging |
| • FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.<br>• Connector Tables include (2) ganging device(s); 1 per side (excluding front and back) of the table.<br>• Ganging devices are factory installed. |

| | | Code | List $ | |
|---|---|---|---|---|
| Power Units | | | | |
| Vertical Placement | | | | |
| Cove | | | | |
| CV2070B<br>2-Power<br>1-USB A+C | Black Textured/Black<br>Silver/Grey<br>White Gloss/White | CV2070B-BT<br>CV2070B-SG<br>CV2070B-WG | 730<br>730<br>730 | each<br>each<br>each |
| | | | | |
| Custom Finishes | | | | |
| Stain to Match | | STM | 486 | per stain |
| Multiple Laminates | | ML2 | Call | each |
| | | | | |
| Non-Skid Levelers | | | | |
| Non-Skid Leveler | | NSL | 14 | each |

| | | | | Top Options | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | |  | |  | |  | |
| | | | Option Code | SS45 | | NN41/QQ41 | | KK59 | |
| Model | Dimensions | | | List $ (per unit) | | | | | |
| Model / Option(s) / Finishes | Dia x H | Laminate L1 | Veneer V1 | Laminate L1 | Veneer V1 | Laminate L1 | Veneer V1 | Laminate L1 | Veneer V1 |
| **Round Drum** | | | List $ (per unit) | | | | | | |
|   | DCRNS * 003015/LEG6 | 30" Dia x 15"H | 1881 | 2526 | 3419 | 4065 | 3992 | 4638 | 3626 | 4271 |
| | DCRNS * 003020/LEG6 | 30" Dia x 20"H | 1949 | 2703 | 3487 | 4242 | 4060 | 4814 | 3694 | 4448 |
| | DCRNS * 003615/LEG6 | 36" Dia x 15"H | 2120 | 2846 | 4445 | 5172 | 5137 | 5864 | 4635 | 5362 |
| | DCRNS * 003620/LEG6 | 36" Dia x 20"H | 2256 | 3145 | 4580 | 5471 | 5273 | 6163 | 4770 | 5660 |
| | DCRNS * 004215/LEG6 | 42" Dia x 15"H | 3667 | 4973 | 6467 | 7773 | 7790 | 9094 | 7088 | 8394 |
| | DCRNS * 004220/LEG6 | 42" Dia x 20"H | 3878 | 5054 | 6678 | 7853 | 8001 | 9177 | 7299 | 8474 |
| * L1 = Laminate<br>V1 = Veneer | | | | | | | | | | |
| **Tapered Round Drum** | | Dia x H | List $ (per unit) | | | | | | | |
|   | DCRNTV1003015/LEG6 | 30"/26" Dia x 15"H | - | 4783 | - | 6323 | - | 6894 | - | 6529 |
| | DCRNTV1003020/LEG6 | 30"/26" Dia x 20"H | - | 5035 | - | 6575 | - | 7147 | - | 6781 |
| | DCRNTV1003615/LEG6 | 36"/30" Dia x 15"H | - | 5205 | - | 7530 | - | 8222 | - | 7720 |
| | DCRNTV1003620/LEG6 | 36"/30" Dia x 20"H | - | 5484 | - | 7809 | - | 8502 | - | 7998 |
| | DCRNTV1004215/LEG6 | 42"/36" Dia x 15"H | - | 5876 | - | 8676 | - | 10000 | - | 9298 |
| | DCRNTV1004220/LEG6 | 42"/36" Dia x 20"H | - | 6175 | - | 8976 | - | 10300 | - | 9597 |
| **Rectangle Drum** | | W x D x H | List $ (per unit) | | | | | | | |
|   | DCRES * 302415/LEG6 | 30"W x 24"D x 15"H | 1794 | 2462 | 3139 | 3807 | 3471 | 4139 | 3540 | 4208 |
| | DCRES * 302420/LEG6 | 30"W x 24"D x 20"H | 1921 | 2776 | 3267 | 4122 | 3598 | 4453 | 3667 | 4522 |
| | DCRES * 482415/LEG6 | 48"W x 24"D x 15"H | 1997 | 2927 | 3834 | 4764 | 4680 | 5610 | 4320 | 5250 |
| | DCRES * 482420/LEG6 | 48"W x 24"D x 20"H | 2228 | 3084 | 4066 | 4922 | 4911 | 5766 | 4552 | 5408 |
| * L1 = Laminate<br>V1 = Veneer | | | | | | | | | | |

SPACE PLANNING: FOR MODULAR CONFIGURATIONS, PLEASE INCLUDE LAYOUT DRAWING OR SKETCH WITH EACH ORDER.

| To Specify<br>(see page 13 for complete how to specify instructions) | | | |
|---|---|---|---|
| 1a) Specify Model | | | |
| 1b) Specify Leg finish | | | |
| 1c) Specify Leg Options | | | |
| 2) Specify Optional Top | | | |
| 3) Specify Surface Finishes | | | |
| 4) Specify Options | | | |
| | | | |
| Custom Finishes | | | |
| Stain to Match | STM | 486 | per stain |
| Multiple Laminates | ML2 | Call | each |
| | | | |
| Non-Skid Levelers | | | |
| Non-Skid Leveler | NSL | 14 | each |

## Tablet for Arm Units

- Available armed seating units.
- Half Round shaped top has radius corners, measures 19”W x 10”D and pivots 360°
- Choose from High Pressure Laminate with PVC Edge or 3 standard Dupont™ Corian® Solid Surface Colors.
- 20 lb. Weight Limit



TA-LP65-R (Laminate PVC Edge top)
TA-S-R (Solid Surface top)
Right (as user) Arm Tablet



TA-LP65-L (Laminate PVC Edge top)
TA-S-L (Solid Surface top)
LEFT (as user) Arm Tablet



Tablet Top Shape
Laminate PVC Edge or Solid Surface



## Tablet for Armless Units


- Available on armless stand alone or end modular seating units.
- Half Round shaped top has radius corners, measures 19”W x 10”D and pivots 360°.
- Choose from High Pressure Laminate PVC Edge or 3 standard Dupont™ Corian® Solid Surface Colors.
- 20 lb. Weight Limit



TP-LP65-R (Laminate PVC Edge top)
TP-S-R (Solid Surface top)
Right (as user) Arm Tablet



TP-LP65-L (Laminate PVC Edge top)
TP-S-L (Solid Surface top)
LEFT (as user) Arm Tablet



Tablet Top Shape
Laminate PVC Edge or Solid Surface

Legs
Synk2 seating and connector/cube/drum table legs are available in silver, gold or black finish and include levelers (white plastic). Optional non-skid glides (black rubber) are available.

Leg Finishes



Black
LEG6B



Silver
LEG6S



Gold
LEG6G

Casters
- Available on arm or armless lounge chairs (Models S2-01 and S2-02).
- Casters are non-locking, 4” dia., dual wheel, non-marking, Light Gray Hub Nylon Core w/Dark Grey Polyurethane Tread..
- Front casters only, rear casters only or front and rear casters.



Casters Front
C9-F




Casters Rear
C9-R




Casters Front and Rear
C9-FR

Contrasting Fabrics

- Contrasting fabrics may be specified for the seat (a), base (b), back (c) or arms (d). Increased yardage may be required. An upcharge of $99 list per each additional fabric pattern applies. Contact Nevins Customer Service Department.







Ganging

- Modular seating and connector tables are easily connected using a simple twist and click ganging device.
- Consists of two identical pieces that are engaged by rotating the lock arms and clicking them into place.
- Gang seat-to-seat, seat-to-table, table-to-table.
- Ganging devices are factory installed and are included with connector tables and armless sides of modular seating units.
- Ganging Devices are not available on the sides of seating units that include an optional tablet.





Seat-to-Seat



Seat-to-Table



Table-to-Table

## POWER UNITS

| Cove | | Model | Finish | List $ |
|---|---|---|---|---|
|  CV2070B (Power/USB A+C) 7.25"L x 2.5"W | CV2070B Cove (Power/USB A+C)<br>2 - Electrical Outlets (15A, 120V)<br>1 - USB A+C (2.4A, 60W)<br>1 - 108" Electrical Cord, 15 AMP | CV2070B-BT<br>CV2070B-SG<br>CV2070B-WG | Black Textured/Black<br>Silver/Grey<br>White Gloss/White | 730<br>730<br>730 |

## STANDARD PLACEMENT

### SEATING

*Available on arm or armless seating units (stand alone or modular end units)*

| | | |
|---|---|---|
| Placement |  |  |
| Placement Code | R | L |
| Placement Description | Right (as user) Arm/Side | Left (as user) Arm/Side |

| | |
|---|---|
| Placement |  |
| Placement Code | F |
| Placement Description | Front, centered (as user) |

### WEDGE CONNECTORS

| | | | |
|---|---|---|---|
| Placement |  |  |  |
| Placement Code | N | WLR | NWLR |
| Number of Power Units | 1 | 2 | 3 |
| Placement Description | Narrow End | Wide End, Left & Right (as facing) Sides | Narrow & Wide Ends, all Sides |


### RECTANGLE CONNECTORS


| | | | |
|---|---|---|---|
| Placement |  |  | |
| Placement Code | F | FB | |
| Number of Power Units | 1 | 2 | |
| Placement Description | Front End | Front and Back Ends | |

NEVINS IS AN OPEN LAMINATE LINE, allowing laminate selection from any major laminate manufacturer. However, laminates that are not included in our listing of *Standard Formica Laminates*, regardless of brand or finish, are subject to an additional laminate upcharge. Please contact Nevins Customer Service Department to determine any applicable upcharges.


## Standard Formica Laminate Finishes


Brite White
459-58



Oyster Gray
929-58


Mojave
8751-58


Earth
5342-58


Gull Grey
9242-58


Graphite
837-58


Black
909-58


Waxed Maple
8905-58


Amber Maple
7012-58


Danish Maple
8906-58


Finnish Oak
118-58


Oiled Legno
8846-58


Thermo Walnut
6402-58


Prestige Walnut
6209-43


Ginger Root Maple
7288-58


Blossom Cherrywood
758-58


Cocoa Oak
9374-43


Acajou Mahogany
7008-58


Greige Softwood
4924-58


Smokey Brown Pear
5488-58


Blackened Legno
8848-58


Noble Mahogany
9236-43

# Veneer and Wood Finishes

## Finishes on Cherry (Veneer Cut Plain)


Light Cherry
CLC


Medium Cherry
CMC


Dark Cherry
CDC


Dark Walnut
CDW


Sienna Cherry
CSC

## Finishes on Maple (Veneer Cut Plain)


Amber Maple
MAM


Honey Maple
MHM


Kasha Maple
MKM

## Finishes on Red Oak (Veneer Cut Plain)


Wheat Oak
OWO


Greige Oak
OGO


Parchment Oak
OPO


Steely Oak
OSO


## Finishes on Walnut (Veneer Cut Plain)


Graphite Walnut
WGW


Mocha Walnut
WMW



Espresso Walnut
WEW


## Custom (Veneer Cut Specify)



Stain to Match
STM


## KrystalCast Finishes


Benjamin Moore® Color Match



Super White
KC1



Gray Horse
KC2


Sheer Romance
KC3


Warm Springs
KC4


Dill Pickle
KC5



Putnam Ivory
KC6



Custom Paint Color
CTM

SYNK2

## Solid Surfaces Finishes

DuPont™ Corian®


Glacier White
S01


Bone
S09


Silver Gray
S10

## Stone Finishes

Marble


Carrara White
M01

Granite


Rajah Black
G07

Wilsonart® Quartz


Serene
Q1001


Grey Lake
Q1009


Bodega
Q1022


Haida
Q4008

## PVC Finishes


Brite White
P01


Oyster Gray
P02


Mojave
P03


Earth
P04


Gull Grey
P05


Graphite
P06


Black
P07


Waxed Maple
P08


Amber Maple
P09


Danish Maple
P10


Finnish Oak
P11


Oiled Legno
P12


Thermo Walnut
P13


Prestige Walnut
P14


Ginger Root Maple
P15


Blossom Cherrywood
P16


Cocoa Oak
P17


Acajou Mahogany
P18


Greige Softwood
P19


Smokey Brown Pear
P20


Blackened Legno
P21


Noble Mahogany
P22

SYNK2

## Specifications

All specifications stated herein are subject to change without notice. Any product dimensions stated herein are nominal.

## Construction

Seating
Interior Frame
Interior frame is constructed of 3/4" hardwood plywood and 5/4 soft maple. Joinery is mortise and tenon, properly glued and clamped for maximum joint stability. Corners are reinforced using corner blocks that are securely fastened with glue and screws/staples. All interior wood components meet or exceed CARB Regulations. All plywood used in the construction meets ANSI/HPVA HP-1 standards.

Back : Seat : Arms
All Synk2 upholstery features a single needle top-stitch fabric detail that not only dramatically increases the seam strength, but enhances the seam detail for a clean crisp appearance. The chair back is upholstered with a tight pull-over style and padded with a 1.8 lb high density foam. This is all supported by hand-tied 10 gauge sinuous back springs. The seat upholstery shows the same attention to detail as the back. The seat frame utilizes a solid seat platform which greatly increases strength and sustains a resistance to the rigors of high traffic environments. Synks' seating comfort is achieved by a design that places the body in the correct position for being seated and utilizes a full 5 1/2 inch thick cushion of 2.2 lb high density foam. Arms are padded with a 1.8 lb foam and all outside surfaces are webbed with a high strength synthetic webbing and padded with a thin 1.8 lb foam. All foam meets California 117 fire code specifications. Seat height is 18" (nominal).



California 117 Fire Code
All of Nevins upholstered seating products conform to California Technical Bulletin 117.

California 133 Fire Code
Nevins can enhance seating components to include a Burngard barrier cloth. When a Burngard barrier cloth is used in conjunction with a CAL 133 certified fabric, the product can meet CAL 133 testing criteria. Please contact Nevins Quotation Department.

Tables
Connector Tables : Drum Tables
Core is constructed of moisture resistant, NAUF, 45 lb. density particle board. The bottom of the table is 3/4" plywood. 4" legs are standard and included. Table sides (body) are available in laminate or maple, cherry, red oak or walnut veneer. Table top surface options include laminate, maple, cherry, red oak or walnut veneer, solid surface, stone and KrystalCast®. All interior wood components meet or exceed CARB Regulations. All plywood used in the construction meets ANSI/HPVA HP-1 standards.

# Upholstery

General Information
Synk2 upholstered seating products are available with the Customer's Own Material (COM) or Leather (COL).

COM/COL Approval
All COM/COL fabrics must be tested and approved by Nevins. A completed Fabric Approval Form and (2) 4" x 4" memo samples of the fabric to be tested must be submitted to Nevins Customer Service Department. Please allow 5 business days (from sample receipt by Nevins) for testing and notification of written approval by Nevins.

COM/COL orders cannot be scheduled for production or acknowledged with a ship date until the COM/COL swatches are approved and the required yardage/square footage has been received, inspected and approved by Nevins. All COM/COL shipments must be shipped prepaid.

Combination Fabrics
Contrasting fabrics may be specified on the back(a), seat (b), arms(c) or base (d). Contrasting fabric applications must be clearly indicated on the customer's order. A completed Contrasting Fabric Sketch form must be submitted along with the Fabric Approval form. An upcharge of $99 list per each additional fabric pattern specified (per unit) applies, reference option code CF-S2.

Upholstery Application
All fabrics will be cut, seamed and applied at the discretion of the factory. Right-Way (Up-the-Roll) application is the standard application method. Any special instructions regarding the application of the fabric (pattern, direction, face side, etc.) must be indicated on your order. In the absence of instructions, Nevins will apply the fabric at our own discretion, without liability.

Fabric and Leather Imperfections
Nevins reserves the right to reject any fabric deemed unsuitable for upholstery purposes. Nevins inspects fabrics for mill imperfections, however, Nevins will not be held responsible for defects, color inaccuracies, dye lot variations or other such flaws. Leather is a natural product. Imperfections such as wrinkles and scars are considered normal and acceptable. Nevins is not responsible for the placement or appearance of these markings. Customer's leather must meet minimum standards of no more than three defects per hide. Imperfections that penetrate the hide, large marks, brands, excessively healed-over scars or scratches, burns and excessive fat wrinkles are considered unacceptable defects.

Striped or Patterned Fabric
For striped or patterned fabrics, specify vertical or horizontal application. In the absence of instructions, Nevins will apply the fabric pattern at our own discretion without liability.

Pattern Matching
Should a COM be striped or have a pattern repeat requiring matching, a matching charge may apply. Please contact Nevins Customer Service Department.

Reversible Fabrics
For reversible fabrics, a swatch of the COM must be provided to Nevins, clearly indicating which side should be exposed. In the absence of instructions, the factory will apply material at their own discretion without liability.

Backing Requirements
Not all fabrics are suitable for upholstery and some may require an acrylic backing to prevent unraveling or stretching. This is determined when the fabric arrives and is inspected. When this occurs, the customer will be notified of the applicable fees.

Protective Fabric Finishes and Backings
Many textile manufacturers offer a wide array of protective finishes, custom backings and flame-retardant treatments. Some of the available treatment options include, but are not limited to, Crypton®, Gore Seating Protection®, Nano-Tex®, Nano-Tex with Durablock®, Teflon® and MicroB®. Please contact your textile manufacturer for assistance on finishes to enhance the performance or application of your fabrics.

Puddling
Puddling may occur as a result of certain climate conditions and/or the natural stretch inherent in fabrics and leathers. Puddling is not a flaw in the fabric, leather or manufacturing process. Nevins cannot predict or be responsible for how upholstery wears in an installation setting and does not guarantee against puddling.

Fabric Warranty
Nevins will not be held responsible for wear, fading, performance, appearance, behavior, flame retardency or durability of any fabrics or leather whether supplied by the Customer or by Nevins. Graded-In, COM or COL fabrics are not covered under Nevins Warranty.

Multiple Quantities
When ordering multiple quantities, yardage requirements may be reduced. Please contact Nevins Customer Service Department for yardage requirements on multiple quantities.

## COM / COL Information

### COM Recommended Yardage Requirements

The yardage requirements listed herein are for one unit and are based on 54" wide non-directional fabrics. Generally, additional yardage is required if fabric is striped, patterned, requires matching, or if width of material is less than 54" wide. Please use the additional yardage guideline chart below to determine COM yardage requirements. Add the percentage shown on the chart to the standard yardage requirement. The below chart must be considered as an estimate only. Nevins is not responsible for overages or if additional yardage is required. Please contact Nevins Customer Service Department for assistance in determining yardage.


Note: To allow for better yield and more efficient cutting, all COM fabrics must be supplied in continuous roll/yardage lengths, rather than cut pieces.

### Additional COM Yardage Guideline


| Right-Way (Up the Roll) Applications (Standard) | | | | | | | |
|---|---|---|---|---|---|---|---|
| Fabric Width | Non-Directional Fabric | Repeat | | | | | |
| | | 1-5" | 6-9" | 10-13" | 14-20" | 21-27" | 28-36" |
| 54" | 0% | 10% | 15% | 20% | 25% | 30% | 35% |
| 50" | 15% | 15% | 20% | 25% | 30% | 35% | 40% |
| 48" | 20% | 20% | 25% | 30% | 35% | 40% | 45% |

| Railroad Applications (Optional; Must be Requested) | | | | | | | |
|---|---|---|---|---|---|---|---|
| Fabric Width | Non-Directional Fabric | Repeat | | | | | |
| | | 1-5" | 6-9" | 10-13" | 14-20" | 21-27" | 28-36" |
| 54" | 0% | 15% | 18% | 25% | 30% | 35% | 40% |
| 50" | 15% | 20% | 25% | 30% | 35% | 40% | 45% |
| 48" | 20% | 25% | 30% | 35% | 40% | 45% | 50% |

Right-Way Application



Railroad Application



## COL Square Footage Requirements

COL square footage requirements are determined by the leather hide finish and size. All leather(s) must be approved by Nevins. Upon approval, Nevins will advise square footage requirements.

## Excess COM/COL

Nevins is not responsible for COM/COL overages. Unless specifically stated on the order, excess COM/COL will not be stored or returned.

## Standard COM Yardage

| | COM Yardage Requirements | | | | |
|---|---|---|---|---|---|
| | Single Fabric Applications | Contrasting Fabric Applications | | | |
| | Seat/Base/Back/ Arm(s) | Seat | Base | Back | Arm(s) |
| Lounge Chair | | | | | |
| S2-01 | 6 | 1 1/3 | 2/3 | 2 | 5 1/3 |
| S2-02 | 4 | 1 1/3 | 2/3 | 2 | n/a |
| S2-03 | 4 | 1 1/3 | 2/3 | 2 | 2 2/3 |
| S2-04 | 5 | 1 1/3 | 2/3 | 2 | 2 2/3 |
| Concave Chair | | | | | |
| S2-17 | 5 | 1 1/4 | 2/3 | 2 | n/a |
| S2-19 | 6 | 2 | 1 1/3 | 3 1/2 | n/a |
| S2-21 | 5 | 2 | 1 | 2 | n/a |
| Convex Chair | | | | | |
| S2-18 | 5 | 1 1/3 | 1 | 2 | n/a |
| S2-20 | 6 | 2 | 1 1/3 | 3 1/2 | n/a |
| S2-22 | 6 | 2 | 1 | 2 | n/a |
| Two Seat Sofa | | | | | |
| S2-07 | 8 1/2 | 1 1/2 | 2/3 | 3 | 5 1/3 |
| S2-08 | 6 1/2 | 1 1/2 | 2/3 | 3 | n/a |
| S2-09 | 7 1/2 | 1 1/2 | 2/3 | 3 | 2 2/3 |
| S2-10 | 7 1/2 | 1 1/2 | 2/3 | 3 | 2 2/3 |
| Three Seat Sofa | | | | | |
| S2-11 | 11 1/2 | 2 | 1 | 4 | 5 1/3 |
| S2-12 | 9 1/2 | 2 | 1 | 4 | n/a |
| S2-13 | 10 1/2 | 2 | 1 | 4 | 2 2/3 |
| S2-14 | 10 1/2 | 2 | 1 | 4 | 2 2/3 |
| Concave Bench | | | | | |
| S2-23 | 4 | 1 2/3 | 1 | n/a | n/a |
| S2-25 | 5 | 2 1/4 | 1 1/4 | n/a | n/a |
| Convex Bench | | | | | |
| S2-24 | 4 | 1 2/3 | 1 1/3 | n/a | n/a |
| S2-26 | 5 | 1 2/3 | 1 1/3 | n/a | n/a |
| Ottoman | | | | | |
| S2-27 | 2 | 1 | 3/4 | n/a | n/a |
| S2-28 | 3 | 1 1/2 | 1 | n/a | n/a |

Contrasting Fabric
Contrasting fabrics may be specified for the seat (a), base (b), back (c) or arms (d). Additional yardage is required if the fabric is striped, patterned, requires matching, or if width of material is less than 54" wide. Please use the additional yardage guideline chart at left to determine COM yardage requirements..

Note: To allow for better yield and more efficient cutting, all COM fabrics must be supplied in continuous roll/yardage lengths, rather than cut pieces.

Standard COL Square Footage
COL square footage requirements are determined by the hide type, shape and usable, clean square footage. All leather must be approved by Nevins; see page 29, "Ordering COM/COL". Contrasting leathers may be specified for the seat (a), base (b), back (c) or arms (d). Contact Nevins Customer Service Department for assistance in determining square footage requirements.

Ordering COM/COL

a.1) Single Fabric Applications
Email a completed Fabric Approval Form to quotes@nevins.co

a.2) Contrasting Fabric Applications
Email a completed Fabric Approval Form and Contrasting Fabric Sketch Form to quotes@nevins.co

b) Await notification of fabric approval and yardage requirements from Nevins.
b.1) Please allow 5 business days for testing and notification of written approval by Nevins.

c) Purchase Order Requirements (must be indicated on order) :

- Fabric Make
- Fabric Style/Pattern
- Fabric Color
- Fabric Number
- Any special instructions regarding the application of the fabric must be indicated on the customer's order. In the absence of instructions, Nevins will apply the fabric at our own discretion, without liability.

d) COM/COL Shipping Instructions
d.1) Upon receipt of a COM/COL order and fabric approval, Nevins will provide a COM/COL Shipping Instructions Form. This form will provide the COM/COL tagging information, yardage requirements and the manufacturing address to which the COM/COL is to be shipped.

d.2) Once the required COM yardage/COL square footage has been shipped to the Nevins manufacturing facility, the customer is required to complete the Tracking Information section of the COM/COL Shipping Instruction Form and return it to Nevins COM (Order Entry) Department.

d.3) Once the required COM yardage/COL square footage has been received, inspected and approved, a ship date will be assigned and an order acknowledgement will be issued.

## INSTRUCTIONS

1. Email completed form to: quotes@nevins.co
2. For contrasting fabrics, please include a completed Contrasting Fabric Sketch Form. One completed form for each model ordered is required.
3. Please allow 5 business days for fabric testing and notification of written approval by Nevins.

## DEALER / PROJECT INFORMATION

Name: _____ Contact: _____

Address: _____ City, State, Zip: _____

Phone: _____ Fax: _____

Project Name: _____ PO Number: _____

Nevins Sales Rep: _____ Nevins Sales Order Number: _____

## FABRIC / PRODUCT INFORMATION



COM or COL Manufacturer: _____

Pattern Name / Color / Number: _____

Pattern Repeat (*in inches*): None: _____ Vertical Repeat: _____ Horizontal Repeat: _____

Is Fabric Reversible (*check one*): No: ☐ Yes: ☐ *(swatch must be marked to indicate face side)*

Is Fabric Stripped (*check one*): No: ☐ Yes: ☐ Direction of stripe (*check one*): Vertical: ☐ Horizontal: ☐

| Qty | Product Model No. | Product Description | Fabric Orientation Single Fabric Applications: Railroad (default orientation if not specified)  | Fabric Orientation Single Fabric Applications: Right-Way (Up-the-Roll)  | Fabric Orientation Contrasting Fabric Applications   |
|---|---|---|---|---|---|
| | | | | | Complete and attach Contrasting Fabric Sketch Form for each model ordered. |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

*Nevins Use Only*

Sample Receipt Date: _____ Fabric Authorization: Approved: ☐ Not Approved: ☐

Single Fabric COM Yardage Requirement (*per specified orientation*): _____

Contrasting COM Yardage Requirement (*per specified orientation*): Seat (a): _____ Side Panels (b): _____ Back (c): _____

Signature: _____ Date: _____

## INSTRUCTIONS

1. Attach completed Contrasting Fabric Sketch form *(one form per each model ordered)* to Fabric Approval form. See Fabric Approval form for submittal instructions.

## DEALER / PROJECT INFORMATION

Name: _____ Contact: _____

Address: _____ City, State, Zip: _____


Phone: _____ Fax: _____


Project Name: _____ PO Number: _____

Nevins Sales Rep: _____ Nevins Sales Order Number: _____

PRODUCT MODEL No.: _____ *(one form per each model ordered is required)*

### Component Diagrams





### Orientations Diagrams



Right-Way (Up-the-Roll)



Railroad

## SEAT (a) FABRIC INFORMATION

COM or COL Manufacturer: _____

Pattern Name / Color / Number: _____

Pattern Repeat (*in inches*): None: _____ Vertical Repeat: _____ Horizontal Repeat: _____

Is Fabric Reversible (*check one*): No: ☐ Yes: ☐ *(swatch must be marked to indicate face side)*

Is Fabric Stripped (*check one*): No: ☐ Yes: ☐ Direction of stripe (*check one*): Vertical: ☐ Horizontal: ☐

Fabric Orientation (*check one*): Right-Way (Up-the-Roll) *default if not specified*): ☐ Railroad: ☐

## BASE (b) FABRIC INFORMATION

COM or COL Manufacturer: _____

Pattern Name / Color / Number: _____

Pattern Repeat (*in inches*): None: _____ Vertical Repeat: _____ Horizontal Repeat: _____

Is Fabric Reversible (*check one*): No: ☐ Yes: ☐ *(swatch must be marked to indicate face side)*

Is Fabric Stripped (*check one*): No: ☐ Yes: ☐ Direction of stripe (*check one*): Vertical: ☐ Horizontal: ☐

Fabric Orientation (*check one*): Right-Way (Up-the-Roll) *default if not specified*): ☐ Railroad: ☐

## BACK (c) FABRIC INFORMATION

COM or COL Manufacturer: _____

Pattern Name / Color / Number: _____

Pattern Repeat (*in inches*): None: _____ Vertical Repeat: _____ Horizontal Repeat: _____

Is Fabric Reversible (*check one*): No: ☐ Yes: ☐ *(swatch must be marked to indicate face side)*

Is Fabric Stripped (*check one*): No: ☐ Yes: ☐ Direction of stripe (*check one*): Vertical: ☐ Horizontal: ☐

Fabric Orientation (*check one*): Right-Way (Up-the-Roll) *default if not specified*): ☐ Railroad: ☐

## ARM(s) (d) FABRIC INFORMATION

COM or COL Manufacturer: _____

Pattern Name / Color / Number: _____

Pattern Repeat (*in inches*): None: _____ Vertical Repeat: _____ Horizontal Repeat: _____

Is Fabric Reversible (*check one*): No: ☐ Yes: ☐ *(swatch must be marked to indicate face side)*


Is Fabric Stripped (*check one*): No: ☐ Yes: ☐ Direction of stripe (*check one*): Vertical: ☐ Horizontal: ☐

Fabric Orientation (*check one*): Right-Way (Up-the-Roll) *default if not specified*): ☐ Railroad: ☐

## CONFIGURATIONS

### S2-CONFIG-A


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| Lounge Chair with single right arm | S2-04M | 1 | 1963 |
| Lounge Chair with single left arm | S2-03M | 1 | 1963 |
| 23" Rectangle Connector Table; Laminate Sides/ Top | DCRESL1232516/LEG6 | 1 | 2044 |
| | | | 5970 |






### S2-CONFIG-B


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| Lounge Chair with single right arm | S2-04M | 1 | 1963 |
| Lounge Chair armless | S2-02M | 1 | 1770 |
| Lounge Chair with single left arm | S2-03M | 1 | 1963 |
| 23" Rectangle Connector Table; Laminate Sides/ Top | DCRESL1232516/LEG6 | 1 | 2044 |
| | | | 7740 |






### S2-CONFIG-C


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| 25" x 48" Ottoman | S2-28M | 2 | 4034 |
| 25" x 25" Ottoman | S2-27M | 2 | 2690 |
| 23" Rectangle Connector Table; Laminate Sides/ Top | DCRESL1232516/LEG6 | 1 | 2044 |
| | | | 8768 |






### S2-CONFIG-D

| Description | Model | Qty | COM List$ |
|---|---|---|---|
| Two Seat Sofa with single right arm | S2-10M | 1 | 2725 |
| Two Seat Sofa with single left arm | S2-09M | 1 | 2725 |
| Three Seat Sofa armless | S2-12M | 1 | 3447 |
| 23" Rectangle Connector Table; Laminate Sides/ Top | DCRESL1232516/LEG6 | 2 | 4088 |
| | | | 12985 |






### S2-CONFIG-E


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| Lounge Chair with single right arm | S2-04M | 1 | 1963 |
| Lounge Chair with single left arm | S2-03M | 1 | 1963 |
| 90° Concave Chair | S2-21M | 1 | 2557 |
| | | | 6483 |






### S2-CONFIG-F

| Description | Model | Qty | COM List$ |
|---|---|---|---|
| Lounge Chair with single right arm | S2-04M | 1 | 1963 |
| Lounge Chair with single left arm | S2-03M | 1 | 1963 |
| Lounge Chair armless | S2-02M | 2 | 3540 |
| 90° Concave Chair | S2-21M | 1 | 2557 |
| | | | 10023 |







## CONFIGURATIONS

### S2-CONFIG-G


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| Lounge Chair with single right arm | S2-04M | 1 | 1963 |
| Lounge Chair with single left arm | S2-03M | 1 | 1963 |
| Lounge Chair armless | S2-02M | 4 | 7080 |
| 90° Concave Chair | S2-21M | 1 | 2557 |
| | | | 13563 |






### S2-CONFIG-H


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| Lounge Chair with single right arm | S2-04M | 1 | 1963 |
| Lounge Chair with single left arm | S2-03M | 1 | 1963 |
| Lounge Chair armless | S2-02M | 2 | 3540 |
| Two Seat Sofa armless | S2-08M | 1 | 2762 |
| 90° Concave Chair | S2-21M | 2 | 5114 |
| | | | 15342 |






### S2-CONFIG-I


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| 45° Convex Chair | S2-20M | 8 | 20264 |
| | | | 20264 |






### S2-CONFIG-K


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| 30° Concave Chair | S2-17M | 6 | 11088 |
| 30° Wedge Connector Table; Laminate Sides/Top | DCWESL1232716/LEG6 | 2 | 4202 |
| | | | 15290 |






### S2-CONFIG-M


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| Two Seat Sofa with single right arm | S2-10M | 1 | 2725 |
| Two Seat Sofa with single left arm | S2-09M | 1 | 2725 |
| 45° Concave Chair | S2-19M | 4 | 10132 |
| | | | 15582 |






### S2-CONFIG-N

| Description | Model | Qty | COM List$ |
|---|---|---|---|
| 30° Concave Chair | S2-17M | 6 | 11088 |
| 23" Rectangle Connector Table; Laminate Sides/Top | DCRESL1232516/LEG6 | 1 | 2044 |
| 14" Rectangle Connector Table; Laminate Sides/Top | DCRESL1142516/LEG6 | 2 | 3894 |
| | | | 17026 |







SYNK2

## CONFIGURATIONS

### S2-CONFIG-O


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| 30° Concave Chair | S2-17M | 12 | 22176 |
| Lounge Chair armless | S2-02M | 2 | 3540 |
| 14" Rectangle Connector Table; Laminate Sides/ Top | DCRESL1142516/LEG6 | 4 | 7788 |
| | | | 33504 |






### S2-CONFIG-P


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| 90° Convex Chair | S2-22M | 4 | 10084 |
| | | | 10084 |






### S2-CONFIG-Q


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| 90° Convex Chair | S2-22M | 4 | 10084 |
| Lounge Chair armless | S2-02M | 2 | 3540 |
| | | | 13624 |






### S2-CONFIG-R


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| 90° Convex Chair 4 7638 | S2-22M | 4 | 10084 |
| Lounge Chair armless | S2-02M | 4 | 7080 |
| | | | 17164 |






### S2-CONFIG-S


| Description | Model | Qty | COM List$ |
|---|---|---|---|
| Two Seat Sofa with single right arm | S2-10M | 1 | 2725 |
| Two Seat Sofa with single left arm | S2-09M | 1 | 2725 |
| 45° Concave Chair | S2-19M | 2 | 5066 |
| 90° Convex Chair | S2-22M | 1 | 2521 |
| | | | 13037 |







### S2-CONFIG-V

| Description | Model | Qty | COM List$ |
|---|---|---|---|
| 45° Concave Bench | S2-25M | 8 | 15312 |
| 14" Rectangle Connector Table; Laminate Sides/ Top | DCRESL1142516/LEG6 | 1 | 1947 |
| | | | 17259 |






| CONFIGURATIONS | | | | |
|---|---|---|---|---|
| S2-CONFIG-X | | | | |
| Description | Model | Qty | COM List$ | |
| 45° Concave Chair<br>45° Convex Chair | S2-19M<br>S2-20M | 12<br>4 | 30396<br>10132<br>40528 |   |

| Date | Page(s) | Modification | Description |
|---|---|---|---|
| 01.11.22 | Front & Back Covers | Update: Dates | Front and back covers updated. |
| 01.11.22 | All Pricing Pages | Update: Pricing | All pricing updated to reflect 2022 price increase. |
| 11.05.24 | All pages | Updated specifications | Updated power specifications |
| 01.03.25 | 8-9, 19 | Updated specifications | Updated finishes |
| 04.22.25 | 18-22 | Updated finishes | Updated finishes with new laminates and swatches for all finishes |
| 06.18.25 | 39 | Updated options | Updated power placement options |
| 06.27.25 | 7 | Updated specifications | Updated How to Specify with power placement options |
| 08.06.25 | 7-8, 10-13, 15, 23 | Updated specifications | Updated specifications for power placement options |
| 08.06.25 | 7-9 | Updated specifications | Updated colors for Synk2 Leg |
| 09.11.25 | All pages | Updated specifications | Reorganized book and updated leg and door hardware options. |
| 09.16.25 | 6-9, 14, 19 | Updated pricing | Updated pricing for the Cove CV2070B power unit. |
| 12.30.25 | 17 | Updated specifications | Updated description for Synk2 casters |
| 01.19.26 | 27 | Updated specifications | Updated specifications for fabric guidelines |
| 08.17.26 | 12-13, 21, 24 | Removed finishes | Removed ash finishes. |

nevins™

P.O. Box 108
Cat Spring, Texas
78933, USA

P: 800.231.2744
E: quotes@nevins.co
F: 713.230.2150
www.nevins.co

GSA Contract Holder
Contract 47QSCA18D000E

Earth Friendly
Printed in USA 2024